



S.N	Name of Machine(s)/Implements	Required Technical Specifications	Unit	Price comparison chart of different Suppliers in Nrs.								In figures (Nrs.)	In Words
				Avid Agriculture Pvt. Ltd., Banepa, Kavrepalanchok	OMSM Traders, Banepa-5, Kavrepalanchok	Pallisa Agro Concern Pvt. Ltd., Narengim-6, Kathmandu	Agro Solution and Structure Pvt. Ltd., Banepa-5, Kavrepalanchok	Gauri Traders, Banepa, Kavrepalanchok	Dawal R&R Bhaktapur Enterprises Pvt. Ltd., Liwali-8, Bhaktapur	Man Ugrachandi Pvt. Agril and Machinery Trade, Banepa, Kavrepalanchok	Kulchook Machinery Pvt. Ltd. Banepa-6, Kavrepalanchok		
4	Mini Tiller (Diesel)	Mini tiller of not less than 4KW,178F capacity, 4 stoke diesel 280cc, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of above 115 kg and fuel tank capacity having not less than 4 lit., and having double clutch system for safety use. Tilling width should be 1000-1200 mm with transport wheel 4,00-8 tyre/tubeless. A set of 32 rotor blades and tool box should add as spare parts. Required amount of lubricating and fuel oil for testing purpose is included and must be ISO certified and comes with a toolbox set for easy maintenance and minimum of 1 year's service warranty covering both the engine and overall machine is required.	Complete Set	52000	60000	60000	60000	56000	55500	55000	57000	52000	Fifty two thousand rupees only
5	Mini Tiller (Diesel)	Mini tiller of not less than 6.0KW,186F capacity, 4 stoke diesel 300cc, air cooling, manually starting engine, gear system power transmission, 1,2,0,-1 numbers of gears, gross weight of above 135 kg and fuel tank capacity having not less than 4 lit., and having double clutch system for safety use. Tilling width should be 1000-1200 mm with transport wheel 4,00-8 tyre/tubeless. A set of 32 rotor blades and tool box should add as spare parts. Required amount of lubricating and fuel oil for testing purpose is included and must be ISO certified and comes with a toolbox set for easy maintenance and minimum of 1 year's service warranty covering both the engine and overall machine is required.	Complete Set	68000				78000	75000		80000	68000	Sixty eight thousand rupees only
6	Power Tiller	Power tiller of not less than 8.5KW capacity rated speed not less than 2200rpm with net weight not less than 160-180kg suitable for multipurpose farm work, having single cylinder, 4 stoke, horizontal, diesel engine and water hopper cooling system. gear and chain system power transmission, 2- reverse, 6-forward (both high low) numbers of gears with fuel tank capacity having not less than 12 lit. minimum ground clearance 180 mm with transport wheel 6.00-12 tyre/tubeless. A set of rotary cultivators attached having minimum of 18 blades and covering minimum of 500-700 mm tilling width. Required amount of lubricating and fuel oil for testing purpose is included and must be ISO certified and comes with a toolbox set for easy maintenance and minimum of 1 year's service warranty covering both the engine and overall machine is	Complete Set	200000				170000	160000		168000	160000	One lakh sixty thousand rupees only
7	Flour Mill /Disc Mill	A complete grain flour milling plant for animal feed making purpose, having milling capacity of 150-200 kg/hr. gross weight should be 40-55 kg. Made of mild steel materials & working with 1.5KW,220V/50HZ/2800rpm single phase electric motor with 100% copper coil with belt safety cover.	Complete Set	35000	23000	24000		32000	26500		25000	23000	Twenty three thousand rupees only



*Handwritten signature*

*Handwritten signature*

S.N	Name of Machine(s)/Implement	Required Technical Specifications	Unit	Price comparison chart of different Suppliers in Nrs.								रूपतम इकाई दररेट In Words		
				Avid Agriculture Pvt. Ltd., Banepa, Kavrepalanchok	OM SM Traders, Banepas-5, Kavrepalanchok	Paikra Agro Concern Pvt. Ltd., Negrjun-6, Kathmandu	Agro Solution and Store Pvt. Ltd., Banepas-5, Kavrepalanchok	Ganri Traders, Banepa, Kavrepalanchok	Dawal R&R Bhaktapur Enterprises Pvt. Ltd., Lises, Bhaktapur	Maa Ugrachandi Multi Agri and Machinery Trade, Banepa, Kavrepalanchok	Kalishok Machinery Pvt. Ltd., Banepas-6, Kavrepalanchok		Mata Bhagwati Suppliers, Banepa, Kavrepalanchok	In figures
8	Flour Mill /Disc Mill	A complete grain flour milling plant for animal feed making purpose, having milling capacity of 200-250 kg/hr, gross weight should be 45-55 kg. Made of mild steel materials & working with 2.2KW, 220V/50HZ/2800rpm single phase electric motor having 100% copper coil with belt safety cover.	Complete Set	40000	28000	38000	29000	36000	32500	33000	28000	35000	28000	Twenty eight thousand rupees only
9	Chaff Cutter (Electric)	Semi automatic chaff cutter suitable for both green and dry hard and soft grasses, working capacity minimum 400 kg/hrs (green grass base), operated by single phase at least 1.45KW electric motor. no of cutting blades 2 or more and no of roller 3 gross weight should be 110-140 kgs.	Complete Set	32000	34000	38000	35000	33000	30000	31000	38000	32000	30000	Thirty thousand rupees only
10	Multifunctional Chaff Cutter (Electric)	Semi automatic chaff cutter suitable for both green and dry hard and soft grasses, Grinding capacity ranging from 30 to 50 kg/hrs, Production capacity of 800 to 900 kg/hr (green grass base), operated by single phase at least 2.5KW electric motor having 100% copper coil, Motor speed of 2800 RPM ensures rapid processing no of cutting blades 2 or more and no of roller 3 gross weight should be 100-120kgs.	Complete Set	35000	80000	80000	35000	35000	30000	30000	75000	34000	30000	Thirty thousand rupees only
11	Mini Corn Sheller (Single tube)	Single tube electric motor operated mini corn sheller made of stainless steel with high threshing ratio and low crushing ratio. Having capacity of at least 200 kg/hour, gross weight minimum 15 kg and single phase motor should be minimum rated 100 % copper wire not less than 0.5 hp. Clean separation with non-slip base for safety.	Complete Set	12000	10000	10000	11000	16000	8800	9000	12000	8500	8500	Eight thousand five hundred rupees only
12	Mini Corn Sheller (Multiple cob feeding)	Multiple cob feeding electric motor operated mini corn sheller made of stainless steel with high threshing ratio and low crushing ratio. having capacity of at least 400 kg/hour, gross weight minimum 20 kg and single phase motor should be minimum rated 100 % copper wire not less than 1 hp. Clean separation with non-slip base for safety.	Complete Set	17000	14000	14000	15000	19000			18000	13000	13000	Thirteen thousand rupees only
13	Digital Weighing Machine	Platform type digital weighing scale, capacity 0-200kg tolerance error (+/- 20grams) 600mm*600mm size. Indication: 7 segments led, 25mm height, red display. Inbuilt battery auto charging facility, automatic voltage regulator (a. V. R.), sturdy mechanism with overload protection.	Complete Set		18000	18000	18500	22000				22500	18000	Eighteen thousand rupees only
14	Digital Weighing Machine	Platform type digital weighing scale, capacity 0-100kg tolerance error (+/- 20grams) 600mm*600mm size. Indication: 7 segments led, 25mm height, red display. Inbuilt battery auto charging facility, automatic voltage regulator (a. V. R.), sturdy mechanism with overload protection.	Complete Set		15000	15000	16000	15000				16000	15000	Fifteen thousand rupees only



*Handwritten signature*

*Handwritten signature*



S.N	Name of Machine(s)/Implements	Required Technical Specifications	Unit	Price comparison chart of different Suppliers in Nrs.								In figures (NRS.)	In Words	
				Avid Agriculture Pvt.Ltd., Banepa, Kavrepalanchok	OMSM Traders, Banepa-5, Kavrepalanchok	Pallisa Agro Concern Pvt. Ltd., Nagarjun-6, Kothamandu	Agro Solution and Service Pvt.Ltd. Banepa-5, Kavrepalanchok	Gauri Traders, Banepa, Kavrepalanchok	Dural R&R Bhaktapur Enterprises Pvt.Ltd., Limali-8, Bhaktapur	Maa Ugrachandi Multi Agri and Machinery Trade, Banepa, Kavrepalanchok	Kalinchok Machinery Pvt. Ltd. Banepa-6, Kavrepalanchok			Maa Bhagwati Machinery Suppliers, Banepa, Kavrepalanchok
15	Cow mat	Dimensions	6ftX4ftX17 mm.	Per Number/ Per Piece	6800	6500	6800	6500	8500	6640	9000	6500	Six thousand five hundred rupees only	
		Material	High Quality Rubber											
		Pattern (Top)	Chequered – Geometric Shapes, Diamond Shaped											
		Pattern (Bottom)	Wide-groove, Drain Channel											
		Thickness	Not less than 17mm											
		Weight	Not less than 36 kg											
		Dimensions	6ftX4ftX17 mm.											
		Material	High Quality Rubber											
		Pattern (Top)	Chequered – Geometric Shapes, Diamond Shaped											
		Pattern (Bottom)	Wide-groove, Drain Channel											
16	Cow mat	Thickness	Not less than 17mm	Per Number/ Per Piece	7000	7000	7000	7000	8000		9200	7000	Seven thousand rupees only	
		Weight	Not less than 36 kg											
		Dimensions	6ftX4ftX17 mm.											
		Material	High Quality Rubber											
		Pattern (Top)	Chequered – Geometric Shapes, Diamond Shaped											
		Pattern (Bottom)	Wide-groove, Drain Channel											
		Thickness	Not less than 17mm											
		Weight	Not less than 36 kg											
		Dimensions	6ftX4ftX17 mm.											
		Material	High Quality Rubber											
17	Cow mat	Pattern (Top)	Hammer head/Amoebic top	Per Number/ Per Piece	6500	6800	6800	6500	8700		9500	6500	Six thousand five hundred rupees only	
		Pattern (Bottom)	Honey comb bottom											
		Thickness	Not less than 17mm											
		Weight	Not less than 36 kg											
		Model	MC-SS-10											
		Capacity	10 Liters											
		Thickness	0.8 mm											
		Material	Stainless Steel 304 grade											
		Construction	Fully Machine Made											
		Weight	1.5-1.8 Kg											
18	Milk Can10 ltrs	Model	MC-SS-20	Per Number/ Per Piece	4000	3800	3800	4200	4200		4600	3800	Three thousand eight hundred rupees only	
		Capacity	20Liters											
		Thickness	1.2mm											
		Material	Stainless Steel 304 grade											
		Construction	Fully Machine Made											
		Weight	5.5-6Kg											
		Capacity	20Liters											
		Thickness	1.2mm											
		Material	Stainless Steel 304 grade											
		Construction	Fully Machine Made											
19	Milk Can20 ltr	Weight	5.5-6Kg	Per Number/ Per Piece	11200	9000	9000	11500	9600		9750	9000	Nine thousand rupees only	
		Capacity	20Liters											
		Thickness	1.2mm											
		Material	Stainless Steel 304 grade											
		Construction	Fully Machine Made											
		Weight	5.5-6Kg											
		Capacity	20Liters											
		Thickness	1.2mm											
		Material	Stainless Steel 304 grade											
		Construction	Fully Machine Made											

*(Handwritten signature)*

*(Handwritten signature)*



S.N	Name of Machine(s)/Templements	Required Technical Specifications	Unit	Price comparison chart of different Suppliers in Nrs.								In Words			
				Avid Agriculture Pvt. Ltd., Banepa, Kavrepalanchok	OMSM Traders Banepa-5, Kavrepalanchok	Pulka Agro Cocon Pvt. Ltd. Negerim-5, Kathmandu	Agro Solution and Structure Pvt. Ltd. Banepa-5, Kavrepalanchok	Coast Traders, Banepa, Kavrepalanchok	Dawal R&R Bhaktapur Enterprises Pvt. Ltd. Liwali-9, Bhaktapur	Ma Ugrachandi (Ma) Agri and Machinery Trade, Banepa, Kavrepalanchok	Kalichok Machinery Pvt. Ltd. Banepa-6, Kavrepalanchok		Maan Bhagwati Machinery Suppliers, Banepa, Kavrepalanchok	In figures	
20	Milk Can 40 ltrs	Model	MC-SS-40	Per Number/ Per Piece									11500	Eleven thousand five hundred rupees only	
		Capacity	40Ltr												
		Thickness	1.2mm												
		Material	Stainless Steel 304 grade												
		Construction	Fully Machine Made												
		Weight	8-8.5Kg												
21	Milk machine	Type	single bucket trolley type	Complete Set									90000	Ninety thousand rupees only	
		Power	0.5HP single phase, 220v												
		Capacity	100LPM												
		Pulsation ratio	60:40												
22	Khuwa Machine	40-60 liters capacity it prepares khoa of 10-30liter of milk in around 45-55 minutes and consumes about 8-2.5kg of gas, operated with LPG/Diesel, motor not less than 1 hp., volume of container 55-225 liter with stainless steel side cover.	Complete Set												
23	Deep Freezer	Capacity	200Ltr	Complete Set									145000	One lakh forty five thousand rupees only	
		Temperature range	-10 to -25 degree celcius												
		External size(W*D*H)mm	865*660*875												
		Internal size(W*D*H)mm	735*440*685												
		External Material	Paint Steel												
		Internal Material	Aluminium												
		Power	100W												
		Weight	50 to 60 Kg												
		Capacity	400Ltr												
		Temperature range	-10 to -25 degree celcius												
24	Deep Freezer	External size(W*D*H)mm	1843*689*848	Complete Set									42000	Forty two thousand rupees only	
		Internal size(W*D*H)mm	1701*508*700												
		External Material	Paint Steel												
		Internal Material	Aluminium												
		Power	270W												
		Weight	80-100Kg												

*Handwritten signature*

*Handwritten signature*